Journal of MOLECULAR BIOLOGY

Editors in Chief
J. C. KENDREW S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
A. R. Fersht
I. Herskowitz
R. Laskey
V. Luzzati
B. Matthews
J. H. Miller
M. F. Moody

Volume 195
5 May to 20 June 1987

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1987, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 195

Number 1, 5 May 1987

Daldal, F., Davidson, E. and Cheng, S., Isolation of the Structural Genes for the Rieske Fe–S Protein, Cytochrome *b* and Cytochrome c_1, All Components of the Ubiquinol : Cytochrome c_2 Oxidoreductase Complex of *Rhodopseudomonas capsulata* . 1

Davidson, E. and Daldal, F., Primary Structure of the bc_1 Complex of *Rhodopseudomonas capsulata*. Nucleotide Sequence of the *pet* Operon Encoding the Rieske Cytochrome *b*, and Cytochrome c_1 Apoproteins 13

Davidson, E. and Daldal, F., *fbc* Operon, Encoding the Rieske Fe–S Protein Cytochrome *b*, and Cytochrome c_1 Apoproteins Previously Described from *Rhodopseudomonas sphaeroides*, is from *Rhodopseudomonas capsulata* 25

Kruger, W. and Benecke, B.-J., Structural and Functional Analysis of a Human 7 S K RNA Gene 31

Leffers, H., Kjems, J., Østergaard, L., Larsen, N. and Garrett, R. A., Evolutionary Relationships Amongst Archaebacteria. A Comparative Study of 23 S Ribosomal RNAs of a Sulphur-dependent Extreme Thermophile, an Extreme Halophile and a Thermophilic Methanogen 43

Cross, N. C. P. and Dover, G. A., A Novel Arrangement of Sequence Elements Surrounding the rDNA Promoter and its Spacer Duplications in Tsetse Species . . 63

Thaler, D. S., Stahl, M. M. and Stahl, F. W., Double-chain-cut Sites are Recombination Hotspots in the Red Pathway of phage λ 75

Borowiec, J. A. and Gralla, J. D., All Three Elements of the *lac* p^s Promoter Mediate its Transcriptional Response to DNA Supercoiling 89

Womble, D. D. and Rownd, R. H., Regulation of Mini-F Plasmid DNA Replication. A Quantitative Model for Control of Plasmid Mini-F Replication in the Bacterial Cell Division Cycle 99

Llewellyn, D. J., Finnegan, E. J., Ellis, J. G., Dennis, E. S. and Peacock, W. J., Structure and Expression of an Alcohol Dehydrogenase 1 Gene from *Pisum sativum* (cv. "Greenfeast"). 115

Hiles, I. D., Gallagher, M. P., Jamieson, D. J. and Higgins, C. F., Molecular Characterization of the Oligopeptide Permease of *Salmonella typhimurium* . . . 125

Drew, H. R. and Calladine, C. R., Sequence-specific Positioning of Core Histones on an 860 Base-pair DNA. Experiment and Theory 143

Appendix: Details of the Interpretation of Nuclease Digestion Patterns of Chromatin . 169

Blazy, B., Culard, F. and Maurizot, J. C., Interaction Between the Cyclic AMP Receptor Protein and DNA. Conformational Studies 175

Brady, G. W., Foos, D., Satkowski, M. and Benham, C. J., Environmental Influences on DNA Superhelicity. The Effect of Ionic Strength on Superhelix Conformation in Solution. 185

Romby, P., Moras, D., Dumas, P., Ebel, J. P. and Giegé, R., Comparison of the Tertiary Structure of Yeast $tRNA^{Asp}$ and $tRNA^{Phe}$ in Solution. Chemical Modification Study of the Bases 193

White, J. H. and Bauer, W. R., Superhelical DNA with Local Substructures. A Generalization of the Topological Constraint in Terms of the Intersection Number and the Ladder-like Correspondence Surface 205

Letters to the Editor

Shishido, K., Komiyama, N. and Ikawa, S., Increased Production of a Knotted Form of Plasmid pBR322 DNA in *Escherichia coli* DNA Topoisomerase Mutants . 215

Phillips, G. N., Jr, Cohen, C. and Stewart, M., A New Crystal Form of Tropomyosin. Preliminary X-ray Diffraction Analysis 219

Ohlendorf, D. H., Weber, P. C. and Lipscomb, J. D., Determination of the Quaternary Structure of Protocatechuate 3,4-Dioxygenase from *Pseudomonas aeruginosa* 225

Holden, H. M., Meyer, T. E., Cusanovich, M. A., Daldal, F. and Rayment, I., Crystallization and Preliminary Analysis of Crystals of Cytochrome c_2 from *Rhodopseudomonas capsulata* 229

Number 2, 20 May 1987

Yochem, J. and Byers, B., Structural Comparison of the Yeast Cell Division Cycle Gene *CDC4* and a Related Pseudogene 233

Ohshima, Y. and Gotoh, Y., Signals for the Selection of a Splice Site in Pre-mRNA. Computer Analysis of Splice Junction Sequences and Like Sequences 247

Gamas, P., Chandler, M. G., Prentki, P. and Galas, D. J., *Escherichia coli* Integration Host Factor Binds Specifically To the Ends of the Insertion Sequence IS*1* and to its Major Insertion Hot-spot in pBR322 261

Tanabe, K., Mackay, M., Goman, M. and Scaife, J. G., Allelic Dimorphism in a Surface Antigen Gene of the Malaria Parasite *Plasmodium falciparum* 273

Gutierrez, C., Barondess, J., Manoil, C. and Beckwith, J., The Use of Transposon Tn*phoA* to Detect Genes for Cell Envelope Proteins Subject to a Common Regulatory Stimulus. Analysis of Osmotically Regulated Genes in *Escherichia coli* 289

Iismaa, T. P. and Wake, R. G., The Normal Replication Terminus of the *Bacillus subtilis* Chromosome, *terC*, is Dispensable for Vegatative Growth and Sporulation 299

Vershon, A. K., Liao, S.-M., McClure, W. R. and Sauer, R. T., Bacteriophage P22 Mnt Repressor. DNA Binding and Effects on Transcription *in Vitro* 311

Vershon, A. K., Liao, S.-M., McClure, W. R. and Sauer, R. T., Interaction of the Bacteriophage P22 Arc Repressor with Operator DNA. 323

Marwan, W. and Oesterhelt, D., Signal Formation in the Halobacterial Photophobic Response Mediated by a Fourth Retinal Protein (P_{480}) 333

Delpeyroux, F., Chenciner, N., Lim, A., Lambert, M., Malpièce, Y. and Streeck, R. E., Insertions in the Hepatitis B Surface Antigen. Effect on Assembly and Secretion of 22-nm Particles from Mammalian Cells. 343

Ando, T., Bundling of Myosin Subfragment-1-decorated Actin Filaments. 351

Coombs, K. and Brown, D. T., Organization of the Sindbis Virus Nucleocapsid as Revealed by Bifunctional Cross-linking Agents 359

Fujinaga, M. and James, M. N. G., Rat Submaxillary Gland Serine Protease, Tonin. Structure Solution and Refinement at 1·8 Å Resolution 373

Fujinaga, M., Sielecki, A. R., Read, R. J., Ardelt, W., Laskowski, M., Jr and James, M. N. G., Crystal and Molecular Structures of the Complex of α-Chymotrypsin with its Inhibitor Turkey Ovomucoid Third Domain at 1·8 Å Resolution 397

Shih, D. T.-b. and Perutz, M. F., Influence of Anions and Protons on the Adair Coefficients of Haemoglobins A and Cowtown(His HC3(146)$\beta \rightarrow$ Leu) 419

Huber, R., Schneider, M., Epp, O., Mayr, I., Messerschmidt, A., Pflugrath, J. and Kayser, H., Crystallization, Crystal Structure Analysis and Preliminary Molecular Model of the Bilin Binding Protein from the Insect *Pieris brassicae* 423

Letters to the Editor

Colomb, M. and Arlaud, G., C1 Complex of Human Complement. Genesis of a Model 435

Weiss, V. and Engel, J., Functional Models of the C1 Complex. Consensus and Disagreement 437

Flensburg, J. and Calendar, R., Bacteriophage P4 DNA Replication. Nucleotide Sequence of the P4 Replication Gene and the *cis* Replication Region 439

Pont, G., Degroote, F. and Picard, G., Some Extrachromosomal Circular DNAs from *Drosophila* Embryos are Homologous to Tandemly Repeated Genes 447

Shih, D. T.-b., Perutz, M. F., Gronenborn, A. M. and Clore, G. M., Histidine Proton Resonances of Carbonmonoxyhaemoglobins A and Cowtown in Chloride-free Buffer 453

Number 3, 5 June 1987

Tyler-Smith, C. and Brown, W. R. A., Structure of the Major Block of Alphoid Satellite DNA on the Human Y Chromosome 457

Shinedling, S., Singer, B. S., Gayle, M., Pribnow, D., Jarvis, E., Edgar, B. and Gold, L., Sequences and Studies of Bacteriophage T4 rII Mutants 471

Thompson, J. F., de Vargas, L. M., Skinner, S. E. and Landy, A., Protein–Protein Interactions in a Higher-order Structure Direct Lambda Site-specific Recombination . 481

Betz, J. L., Affinities of Tight-binding Lactose Repressors for Wild-type and Pseudo-operators 495

Schmidt, B. F., Berkhout, B., Overbeek, G. P., van Strien, A. and van Duin, J., Determination of the RNA Secondary Structure that Regulates Lysis Gene Expression in Bacteriophage MS2 505

Berkhout, B., Schmidt, B. F., van Strien, A., van Boom, J., van Westrenen, J. and van Duin, J., Lysis Gene of Bacteriophage MS2 is Activated by Translation Termination at the Overlapping Coat Gene 517

Tautz, D., Tautz, C., Webb, D. and Dover, G. A., Evolutionary Divergence of Promoters and Spacers in the rDNA Family of Four *Drosophila* Species. Implications for Molecular Coevolution in Multigene Families 525

Mould, A. P. and Hulmes, D. J. S., Surface-induced Aggregation of Type I Procollagen. 545

Leijonmarck, M. and Liljas, A., Structure of the C-terminal Domain of the Ribosomal Protein L7/L12 from *Escherichia coli* at 1·7 Å 555

Trachtenberg, S. and DeRosier, D. J., Three-dimensional Structure of the Frozen-Hydrated Flagellar Filament. The Left-handed Filament of *Salmonella typhimurium* . 581

Trachtenberg, S., DeRosier, D. J. and Macnab, R. M., Three-dimensional Structure of the Complex Flagellar Filament of *Rhizobium lupini* and its Relation to the Structure of the Plain Filament 603

Rapoport, T. A., Heinrich, R., Walter, P. and Schulmeister, T., Mathematical Modeling of the Effects of the Signal Recognition Particle on Translation and Translocation of Proteins Across the Endoplasmic Reticulum Membrane 621

Caldentey, J., Lepault, J. and Kellenberger, E., Isolation and Reassembly of Bacteriophage T4 Core Proteins 637

Egner, U., Tomasselli, A. G. and Schulz, G. E., Structure of the complex of Yeast Adenylate Kinase with the Inhibitor P^1, P^5-di(adenosine-5′-)pentaphosphate at 2·6 Å Resolution 649

Cornette, J. L., Cease, K. B., Margalit, H., Spouge, J. L., Berzofsky, J. A. and DeLisi, C., Hydrophobicity Scales and Computational Techniques for Detecting Amphipathic Structures in Protein 659

Appendix I: Discrete Fourier Transform and Least-squares Fit of Harmonic Functions 679

Appendix II: Index to the Hydrophobicity Scales 682

Poulos, T. L., Finzel, B. C. and Howard, A. J., High-resolution Crystal Structure of Cytochrome P450cam 687

Karplus, P. A. and Schulz, G. E., Refined Structure of Glutathione Reductase at 1·54 Å Resolution 701

States, D. J., Creighton, T. E., Dobson, C. M. and Karplus, M., Conformations of Intermediates in the Folding of the Pancreatic Trypsin Inhibitor 731

Letters to the Editor

Martin, K. J. and Schleif, R. F., Equilibrium DNA-binding of AraC Protein. Compensation for Displaced Ions 741

Johnston, F., Ponnambalam, S. and Busby, S., Binding of *Escherichia coli* RNA Polymerase to a Promoter Carrying Mutations that Stop Transcription Initiation . 745

Takano, T., Ogawa, K., Sato, M., Bando, S. and Yubisui, T., Preliminary X-ray Data of NADH–Cytochrome b_5 Reductase from Human Erythrocytes . . . 749

Ladenstein, R., Bacher, A. and Huber, R., Some Observations of a Correlation Between the Symmetry of Large Heavy-atom Complexes and Their Binding Sites on Proteins 751

McPherson, A., Jurnak, F., Singh, G. J. P. and Gill, S. S., Preliminary X-ray Diffraction Analysis of Crystals of *Bacillus thuringiensis* Toxin, A Cell Membrane Disrupting Protein 755

Yariv, J., Kalb (Gilboa), A. J., Papiz, M. Z., Helliwell, J. R., Andrews, S. J. and Habash, J., Properties of a New Crystal Form of the Complex of Concanavalin A with Methyl α-D-Glucopyranoside 759

Number 4, 20 June 1987

Lee, K. H., Matsuda, F., Kinashi, T., Kodaira, M. and Honjo, T., A Novel Family of Variable Region Genes of the Human Immunoglobulin Heavy Chain 761

Wu, D. G. and Black, L. W., Gene Amplification Mechanism for the Hyperproduction of T4 Bacteriophage Gene *17* and *18* Proteins 769

Wierzbicki, A., Kendall, M., Abremski, K. and Hoess, R., A Mutational Analysis of the Bacteriophage P1 Recombinase Cre 785

Amouyal, M. and Buc, H., Topological Unwinding of Strong and Weak Promoters by RNA Polymerase. A Comparison Between the *lac* Wild-type and the UV5 Sites of *Escherichia coli* 795

Schmidt, M. C. and Chamberlin, M. J., *nus*A Protein of *Escherichia coli* is an Efficient Transcription Termination Factor for Certain Terminator Sites 809

Weinheimer, S. P. and McKnight, S. L., Transcriptional and Post-transcriptional Controls Establish the Cascade of Herpes Simplex Virus Protein Synthesis . . . 819

Mazabraud, A., Scherly, D., Müller, F., Rungger, D. and Clarkson, S. G., Structure and Transcription Termination of a Lysine tRNA Gene from *Xenopus laevis* . . 835

Matsuyama, S. and Mizushima, S., Novel *rpoA* Mutation that Interferes with the Function of OmpR and EnvZ, Positive Regulators of the *ompF* and *ompC* Genes that Code for Outer-membrane Proteins in *Escherichia coli* K12 847

Murphy, N. B., Pays, A., Tebabi, P., Coquelet, H., Guyaux, M., Steinert, M. and Pays, E., *Trypanosoma brucei* Repeated Element with Unusual Structural and Transcriptional Properties 855

Rowitch, D. H. and Perham, R. N., Cloning and Expression of the Filamentous Bacteriophage Pf1 Major Coat Protein Gene in *Escherichia coli*. Membrane Protein Processing and Virus Assembly 873

Brandt, P. W., Diamond, M. S., Rutchik, J. S. and Schachat, F. H., Co-operative Interactions Between Troponin–Tropomyosin Units Extend the Length of the Thin Filament in Skeletal Muscle 885

Bujalowski, W. and Lohman, T. M., Limited Co-operativity in Protein–Nucleic Acid Interactions. A Thermodynamic Model for the Interactions of *Escherichia coli* Single Strand Binding Protein with Single-stranded Nucleic Acids in the "Beaded", $(SSB)_{65}$ Mode 897

El-Baradi, T. T. A. L., de Regt, V. C. H. F., Einerhand, S. W. C., Teixido, J., Planta, R. J., Ballesta, J. P. G. and Raué, H., Ribosomal Proteins EL11 from *Escherichia coli* and L15 from *Saccharomyces cerevisiae* Bind to the Same Site in Both Yeast 26 S and Mouse 28 S rRNA 909

Hisanaga, S. and Hirokawa, N., Substructure of Sea Urchin Egg Cytoplasmic Dynein . 919

Falkenburg, D., Dworniczak, B., Faust, D. M. and Bautz, E. K. F., RNA Polymerase II of *Drosophila*. Relation of its 140,000 M_r Subunit to the β Subunit of *Escherichia coli* RNA Polymerase 929

Letters to the editor

Mullin, D., Minnich, S., Chen, L.-S. and Newton, A., A Set of Positively Regulated Flagellar Gene Promoters in *Caulobacter crescentus* with Sequence Homology to the *nif* Gene Promoters of *Klebsiella pneumoniae* 939

Rondeau, J.-M., Samama, J.-P., Samama, B., Barth, P., Moras, D. and Biellmann, J.-F., Crystallization and Preliminary X-ray Study of Pig Lens Aldose Reductase. 945

Eismann, E., v.Wilcken-Bergmann, B. and Müller-Hill, B., Specific Destruction of the Second *lac* Operator Decreases Repression of the *lac* Operon in *Escherichia coli* Fivefold 949

Sutoh, K., Tokunaga, M. and Wakabayashi, T., Electron Microscopic Visualization of the N Terminus of the Myosin Heavy Chain using a Site-directed Antibody . 953

Zvelebil, M. J., Barton, G. J., Taylor, W. R. and Sternberg, M. J. E., Prediction of Protein Secondary Structure and Active Sites using the Alignment of Homomologous Sequences 957

Roessner, C. A. and Ihler, G. M., Sequence of Amino Acids in LamB Responsible for Spontaneous Ejection of Bacteriophage Lambda DNA 963

Miller, M., Wlodawer, A., Appella, E. and Sussman, J. L., Crystallization of a DNA Duplex 15-mer Containing Unpaired Bases: d(CGCGAAATTTACGCG) . . . 967

Nivière, V., Hatchikian, C., Cambillau, C. and Frey, M., Crystallization, Preliminary X-ray Study and Crystal Activity of the Hydrogenase from *Desulfovibrio gigas* 969

Index to Volume 195

Abremski, K. (see also Wierzbicki, A), 785
Actin filaments, myosin subfragment-1-decorated; bundling, 351
Adair coefficients of haemoglobins A and Cowtown (His HC3(146)$\beta \rightarrow$Leu), influence of anions and protons, 419
Adenylate kinase from yeast, structure of the complex with the inhibitor P^1 P^5-di(adenosine-5′-)pentaphosphate at 2·6 Å resolution, 649
Aggregation, surface-induced, of type I procollagen, 543
Alcohol dehydrogenase 1 gene from *Pisum sativum* (cv. "Greenfeast"), structure and expression, 115
Aldose reductase, pig lens, crystallization and preliminary X-ray study, 945
Allelic dimorphism in a surface antigen gene of the malaria parasite *Plasmodium falciparum*, 273
Alphoid satellite DNA on the human Y chromosome, structure of the major block, 457
Amino acid sequence in LamB responsible for spontaneous ejection of bacteriophage lambda DNA, 963
Amouyal, M. & Buc, H., Topological unwinding of strong and weak promoters by RNA polymerase. A comparison between the *lac* wild-type and the UV5 sites of *Escherichia coli*, 795
Amphipathic structures, hydrophobicity scales and computational techniques for detection in proteins, 695
Ando, T., Bundling of myosin subfragment-1-decorated actin filaments, 351
Andrews, S. J. (see also Yariv, J.), 759
Anions and protons, influence of the Adair coefficients of haemoglobins A and Cowtown (His HC3(146)$\beta \rightarrow$ Leu), 419
Antibody, site-directed, used in electron microscopic visualization of the N terminus of the myosin heavy chain, 953
Appella, E. (see also Miller, M.), 967
AraC protein, equilibrium DNA-binding; compensation for displaced ions, 741
Arc repressor, P22, interaction with operator DNA, 323
Archaebacteria, evolutionary relationships; comparative study of 23 S rRNAs of a sulphur-dependent extreme thermophile, an extreme halophile and a thermophilic methanogen, 43
Ardelt, W. (see also Fujinaga, M.), 397
Arlaud, G. (see also Colomb, M.), 435
Assembly and secretion of 22-nm particles from mammalian cells; insertions in the hepatitis B surface antigen, 343

Bacher, A. (see also Ladenstein, R.), 751
Bacillus subtilis chromosome, the normal replication terminus, *terC*, is dispensable for vegetative growth and sporulation, 299
Bacillus thuringiensis toxin, a cell membrane disrupting protein, preliminary X-ray diffraction analysis of crystals, 755
Bacterial cell division cycle, a quantitative model for control of plasmid mini-F replication, 99
Bacteriophage λ, double-chain-cut sites are recombination hotspots in the Red pathway, 75
Bacteriophage lambda DNA, sequence of amino acids in LamB responsible for spontaneous ejection, 963
Bacteriophage MS2, determination of the RNA secondary structure that regulates lysis gene expression, 505
Bacteriophage MS2 lysis gene is activated by translation termination at the overlapping coat gene, 517
Bacteriophage P1 recombinase Cre, a mutational analysis, 785
Bacteriophage P4 DNA replication. Nucleotide sequence of the P4 replication gene and the *cis* replication region, 439
Bacteriophage P22 Arc repressor, interaction with operator DNA, 323
Bacteriophage P22 Mnt repressor. DNA binding and effects on transcription *in vitro*, 311
Bacteriophage Pf1 major coat protein gene in *Escherichia coli*, cloning and expression; membrane protein processing and virus assembly, 873
Bacteriophage T4 core proteins, isolation and reassembly, 637
Bacteriophage T4 gene *17* and *18* proteins, gene amplification mechanism for hyperproduction, 769
Bacteriophage T4 rII mutants, sequences and studies, 471
Ballesta, J. P. G. (see also El-Baradi, T. T. A. L.), 909
Bando, S. (see also Takano, T.), 749
Barondess, J. (see also Gutierrez, C.), 289
Barth, P. (see also Rondeau, J.-M.), 945
Barton, G. J. (see also Zvelebil, M. J.), 957
Bauer, W. R. (see also White, J. H.), 205
Bautz, E. K. F. (see also Falkenburg, D.), 929
"Beaded", $(SSB)_{65}$ mode, a thermodynamic model for the interactions of *Escherichia coli* single strand binding protein with single-stranded nucleic acids; limited co-operativity in protein–nucleic acid interactions 897
Beckwith, J. (see also Gutierrez, C.), 289
Benecke, B.-J. (see also Kruger, W.), 31
Benham, C. J. (see also Brady, G. W.), 185
Berkhout, B., Schmidt, B. F., van Strien, A., van Boom, J., van Westrenen, J. & van Duin, J., Lysis gene of bacteriophage MS2 is activated by translation termination at the overlapping coat gene, 517
Berkhout, B. (see also Schmidt, B. F.), 505
Berzofsky, J. A. (see also Cornette, J. L.), 659

Betz, J. L., Affinities of tight-binding lactose repressors for wild-type and pseudo-operators, 495
Biellmann, J.-F. (see also Rondeau, J.-M.), 945
Bilin binding protein from the insect *Pieris brassicae*, crystallization, crystal structure analysis and preliminary molecular model, 423
Binding of *Escherichia coli* RNA polymerase to a promoter carrying mutations that stop transcription termination, 745
Binding sites on proteins, correlation with symmetry of large heavy-atom complexes, 751
Black, L. W. (see also Wu, D. G.), 769
Blazy, B., Culard, F. & Maurizot, J. C., Interaction between the cyclic AMP receptor protein and DNA. Conformational studies, 175
Borowiec, J. A. & Gralla, J. D., All three elements of the *lac* p^s promoter mediate its transcriptional response to DNA supercoiling, 89
Brady, G. W., Foos, D., Satkowski, M. & Benham, C. J., Environmental influences on DNA superhelicity. The effect of ionic strength on superhelix conformation in solution, 185
Brandt, P. W., Diamond, M. S., Rutchik, J. S. & Schachat, F. H., Co-operative interactions between troponin–tropomyosin units extend the length of the thin filament in skeletal muscle, 885
Brown, D. T. (see also Coombs, K.), 359
Brown, W. R. A. (see also Tyler-Smith, C.), 457
Buc, H. (see also Amouyal, M.), 795
Bujalowski, W. & Lohman, T. M., Limited co-operativity in protein–nucleic acid interactions. A thermodynamic model for the interactions of *Escherichia coli* single strand binding protein with single-stranded nucleic acids in the "beaded", $(SSB)_{65}$ mode, 897
Bundling of myosin subfragment-1-decorated actin filaments, 351
Busby, S. (see also Johnston, F.), 745
Byers, B. (see also Yochem, J.), 233

C1 complex of human complement. Genesis of a model, 435
C1 complex, functional models; consensus and disagreement, 437
Caldentey, J., Lepault, J. & Kellenberger, E., Isolation and reassembly of bacteriophage T4 core proteins, 637
Calendar, R. (see also Flensburg, J.), 439
Calladine, C. R. (see also Drew, H. R.), 143
Cambillau, C. (see also Nivière, V.), 969
Carbonmonoxyhaemoglobins A and Cowtown in chloride-free buffer, histidine proton resonances, 453
Cascade of herpes simplex virus protein synthesis is established by transcriptional and post-transcriptional controls, 819
Caulobacter crescentus, a set of positively regulated flagellar gene promoters with sequence homology to the *nif* gene promoters of *Klebsiella pneumoniae*, 939
CDC4 gene, yeast, structural comparison with a related pseudogene, 233
Cease, K. B. (see also Cornette, J. L.), 659
Cell division cycle, bacterial, a quantitative model for control of plasmid mini-F replication, 99
Cell envelope proteins, the use of Tn*phoA* to detect genes subject to a common regulatory stimulus, 289
Chamberlin, M. J. (see also Schmidt, M. C.), 809

Chandler, M. G. (see also Gamas, P.), 261
Chen, L.-S. (see also Mullin, D.), 939
Chenciner, N. (see also Delpeyroux, F.), 343
Cheng, S. (see also Daldal, F.), 1
Chromatin, interpretation of nuclease digestion patterns, 169
Chromosome, Y, human, structure of the major block of alphoid satellite DNA, 457
α-Chymotrypsin complex with its inhibitor turkey ovomucoid third domain, crystal and molecular structures at 1·8 Å resolution, 397
cis replication region, nucleotide sequence, 439
Clarkson, S. G. (see also Mazabraud, A.), 835
Cloning and expression of the filamentous bacteriophage Pf1 major coat protein gene in *Escherichia coli*; membrane protein processing and virus assembly, 873
Clore, G. M. (see also Shih, D. T.-b.), 453
Coat gene, overlapping; translation termination activates the lysis gene of bacteriophage MS2, 517
Cohen, C. (see also Phillips, G. N., Jr), 219
Colomb, M. & Arlaud, G., C1 complex of human complement. Genesis of a model, 435
Computer analysis of splice junction sequences and like sequences; signals for the selection of a splice site in a pre-mRNA, 247
Concanavalin A complex with methyl α-D-glucopyranoside, properties of a new crystal form, 759
Conformation, superhelical, in solution, the effect of ionic strength, 185
Conformations of intermediates in the folding of the pancreatic trypsin inhibitor, 731
Conformational studies of the interaction between the cyclic AMP receptor protein and DNA, 175
Coombs, K. & Brown, D. T., Organization of the Sindbid virus nucleocapsid as revealed by bifunctional cross-linking agents, 359
Co-operative interactions between troponin–tropomyosin units extend the length of the thin filament in skeletal muscle, 855
Co-operativity, limited, in protein–nucleic acid interactions. Thermodynamic model for interactions of *Escherichia coli* single strand binding protein with single-stranded nucleic acids in the "beaded", $(SSB)_{65}$ mode, 897
Coquelet, H. (see also Murphy, N. B.), 855
Core proteins, T4, isolation and reassembly, 637
Cornette, J. L., Cease, K. B., Margalit, H., Spouge, J. L., Berzofsky, J. A. & Delisi, C., Hydrophobicity scales and computational techniques for detecting amphipathic structures in protein, 659
Cre, P1 recombinase, a mutational analysis, 785
Creighton, T. E. (see also States, D. J.), 731
Cross, N. C. P. & Dover, G. A., A novel arrangement of sequence elements surrounding the rDNA promoter and its spacer duplications in tsetse species, 63
Cross-linking agents, bifunctional, reveal organization of Sindbis virus nucleocapsid, 359
Crystal form of the complex of concanavalin A with methyl α-D-glucopyranoside, 759
Crystal form, new, of tropomyosin; preliminary X-ray diffraction analysis, 219
Crystal and molecular structures of the complex of α-chymotrypsin with its inhibitor turkey ovomucoid third domain at 1·8 Å resolution, 397
Crystal structure, high-resolution, of cytochrome p450cam, 687
Crystallization, crystal structure analysis and preliminary molecular model of the bilin binding protein from the insect *Pieris brassicae*, 423
Crystallization of a DNA duplex 15-mer containing unpaired bases: d(CGCGAAATTTACGCG), 967
Crystallization and preliminary analysis of cytochrome c_2 from *Rhodopseudomonas capsulata*, 229
Crystallization, preliminary X-ray study and crystal activity of the hydrogenase from *Desulfovibrio gigas*, 969
Crystallization and preliminary X-ray study of pig lens aldose reductase, 945
C-terminal domain of the ribosomal protein L7/L12 from *Escherichia coli*, structure at 1·7 Å, 555
Culard, F. (see also Blazy, B.), 175
Cusanovich, M. A. (see also Holden, H. M.), 229
Cyclic AMP receptor protein, interaction with DNA; conformational studied, 175
Cytochrome *b* and cytochrome c_1 apoproteins, the encoding *fbc* operon previously described from *Rhodopseudomonas sphaeroides*, is from *Rhodopseudomonas capsulata*, 25
Cytochrome *b* and cytochrome c_1 apoproteins, nucleotide sequence of the encoding *pet* operon; primary structure of the bc_1 complex of *Rhodopseudomonas capsulata*, 13
Cytochrome *b* and cytochrome c_1 of the ubiquinol : cytochrome c_2 oxidoreductase complex of *Rhodopseudomonas capsulata*, isolation of the structural genes, 1
Cytochrome c_2 from *Rhodopseudomonas capsulata*, crystallization and preliminary analysis of crystals, 229
Cytochrome P450cam, high-resolution crystal structure, 687
Cytoplasmic dynein, sea urchin egg; substructure, 919

Daldal, F., Davidson, E. & Cheng, S., Isolation of the structural genes of the Rieske Fe–S protein, cytochrome *b* and cytochrome c_1, all components of the ubiquinol: cytochrome c_2 oxidoreductase complex of *Rhodopseudomonas capsulata*, 1
Daldal, F. (see also Davidson, E.), 13, 25
Daldal, F. (see also Holden, H. M.), 229
Davidson, E. & Daldal, F., *fbc* operon, encoding the Rieske Fe–S protein cytochrome *b*, and cytochrome c_1 apoproteins previously described from *Rhodopseudomonas sphaeroides*, is from *Rhodopseudomonas capsulata*, 25
Davidson, E. & Daldal, F., Primary structure of the bc_1 complex of *Rhodopseudomonas capsulata*. Nucleotide sequence of the *pet* operon encoding the Rieske cytochrome *b*, and cytochrome c_1 apoproteins, 13
Davidson, E. (see also Daldal, F.), 1
d(CGCGAAATTTACGCG), DNA duplex 15-mer containing unpaired bases; crystallization, 967
Degroote, F. (see also Pont, G.), 447
Delisi, C. (see also Cornette, J. L.), 659
Delpeyroux, F., Chenciner, N., Lim, A., Lambert, M., Malpièce, Y. & Streeck, R. E., Insertions in the hepatitis B surface antigen. Effect on assembly and secretion of 22-nm particles from mammalian cells, 343
Dennis, E. S. (see also Llewellyn, D. J.), 115
DNA, 860 base-pair, sequence-specific positioning of core histones; experiment and theory, 143
DNA binding and effects on transcription *in vitro*; bacteriophage P22 Mnt repressor, 311
DNA duplex 15-mer containing unpaired bases, d(CGCGAAATTTACGCG); crystallization, 967
DNA, interaction with cyclic AMP receptor protein; conformational studies, 175
DNA, λ, sequence of amino acids in LamB responsible for spontaneous ejection, 963
DNA, operator, interaction with bacteriophage P22 Arc repressor, 323
DNA topoisomerase mutants, *Escherichia coli*, increased production of a knotted form of plasmid pBR322 DNA, 215
DNA replication, mini-F plasmid; a quantitative model for control of replication in the bacterial cell division cycle, 99
DNA replication, P4. Nucleotide sequence of the P4 replication gene and the *cis* replication region, 439
DNA, satellite, alphoid, on the human Y chromosome, structure of the major block, 457
DNA supercoiling, all three elements of the *lac* p^s promoter mediate its transcriptional response, 89
DNA, superhelical, with local substructures. Generalization of the topological constraint in terms of the intersection number and the ladder-like correspondence surface, 205
DNA superhelicity, effect of ionic strength on superhelix conformation in solution, 185
DNA-binding of AraC protein. Compensation for displaced ions, 741
DNAs, circular, extrachromosomal, from *Drosophila* embryos are homologous to tandemly repeated genes, 447
de Regt, V. C. H. F. (see also El-Baradi, T. T. A. L.), 909
DeRosier, D. J. (see also Trachtenberg, S.), 581, 603
Desulfovibrio gigas dehydrogenase, crystallization, preliminary X-ray study and crystal activity, 969
de Vargas, L. M. (see also Thompson, J. F.), 481

Diamond, M. S. (see also Brandt, P. W.), 885
Dimorphism, allelic, in a surface antigen of the malaria parasite *Plasmodium falciparum*, 273
Dobson, C. M. (see also States, D. J.), 731
Double-chain-cut sites are recombination hotspots in the Red pathway of phage λ, 75
Dover, G. A. (see also Cross, N. C. P.), 63
Dover, G. A. (see also Tautz, D.), 525
Drew, H. R. & Calladine, C. R., Sequence-specific positioning of core histones on an 860 base-pair DNA. Experiment and theory, 143
Drosophila embryos, some extrachromosomal circular DNAs are homologous to tandemly repeated genes, 447
Drosophila RNA polymerase II; relation of its 140,000 M_r subunit to the β subunit of *Escherichia coli* RNA polymerase, 929
Drosophila species, evolutionary divergence of promoters and spacers in the rDNA family; implications for molecular coevolution in multigene families, 525
Dumas, P. (see also Romby, P.), 193
Dworniczak, B. (see also Falkenburg, D.), 929
Dynein, cytoplasmic, sea urchin egg; substructure, 919

Ebel, J. P. (see also Romby, P.), 193
Edgar, B. (see also Shinedling, S.), 471
Egner, U., Tomasselli, A. G. & Schulz, G. E., Structure of the complex of yeast adenylate kinase with the inhibitor P^1, P^5-di(adenosine-5′-)pentaphosphate at 2·6 Å resolution, 649
Einerhand, S. W. C. (see also El-Baradi, T. T. A. L.), 909
Eismann, E., v. Wilcken-Bergmann, B. & Müller-Hill, B., Specific destruction of the second *lac* operator decreases repression of the *lac* operon in *Escherichia coli* fivefold, 949
El-baradi, T. T. A. L., de Regt, V. C. H. F., Einerhand, S. W. C., Teixido, J., Planta, R. J., Ballesta, J. P. G. & Raué, H., Ribosomal proteins EL11 from *Escherichia coli* and L15 from *Saccharomyces cerevisiae* bind to the same site in both yeast 26 S and mouse 28 S rRNA, 909
Electron microscopic visualization of the N terminus of the myosin heavy chain using a site-directed antibody, 953
Ellis, J. G. (see also Llewellyn, D. J.), 115
Endoplasmic reticulum membrane, mathematical modeling of the effects of the signal recognition particle on translation and translocation of proteins across the membrane, 621
Engel, J. (see also Weiss, V.), 437
Environmental influences on DNA superhelicity. Effect of ionic strength on superhelix conformation in solution, 185
EnvZ and OmpR positive regulators, a novel *rpoA* mutation that interferes with their function, 847
Epp, O. (see also Huber, R.), 423
Erythrocytes, human, preliminary X-ray data of NADH-cytochrome b_5 reductase, 749
Escherichia coli, cloning and expression of the filamentous bacteriophage Pf1 major coat protein; membrane protein processing and virus assembly, 873
Escherichia coli, a comparison between the *lac* wild-type and the UV5 sites; topological unwinding of strong and weak promoters by RNA polymerase, 795
Escherichia coli DNA topoisomerase mutants, increased production of a knotted form of plasmid pBR322 DNA, 215
Escherichia coli integration host factor binds specifically to the ends of the insertion sequence IS*1* and to its major insertion hot-spot in pBR322, 261
Escherichia coli, novel *rpoA* mutation that interferes with the function of OmpR and EnvZ, positive regulators of the *ompf* and *ompC* genes that code for outer-membrane proteins, 847
*Escherichia coli nus*A protein is an efficient transcription termination factor for certain terminator sites, 809
Escherichia coli RNA polymerase β subunit, relation to 140,000 M_r subunit of *Drosophila* RNA polymerase II, 929
Escherichia coli RNA polymerase binding to a promoter carrying mutations that stop transcription termination, 745
Escherichia coli ribosomal proteins EL11, and proteins L15 from *Saccharomyces cerevisiae*, bind to the same site in both yeast 26 S and mouse 28 S rRNA, 909
Escherichia coli, specific destruction of the second *lac* operator decreases repression of the *lac* operon fivefold, 949
Escherichia coli, structure of the C-terminal domain of the ribosomal protein L7/L12 at 1·7 Å, 555
Escherichia coli, a thermodynamic model for the interactions of single strand binding protein with single-stranded nucleic acids in the "beaded", $(SSB)_{65}$ mode, 897
Evolutionary divergence of promoters and spacers in the rDNA family of four *Drosophila* species. Implications for molecular coevolution in multigene families, 525
Evolutionary relationships amongst archaebacteria. Comparative study of 23 S rRNAs of a sulphur-dependent extreme thermophile, an extreme halophile and a thermophilic methanogen, 43
Extrachromosomal circular DNAs from *Drosophila* embryos are homologous to tandemly repeated genes, 447

Falkenburg, D., Dworniczak, B., Faust, D. M. & Bautz, E. K. F., RNA polymerase II of *Drosophila*. Relation of its 140,000 M_r subunit to the β subunit of *Escherichia coli* RNA polymerase, 929
Faust, D. M. (see also Falkenburg, D.), 929
fbc operon, encoding the Rieske Fe–S protein cytochrome *b*, and cytochrome c_1 apoproteins previously described from *Rhodopseudomonas sphaeroides*, is from *Rhodopseudomonas capsulata*, 25
Filament, flagellar, complex, of *Rhizobium lupini*, three-dimensional structure and its relation to the structure of the plain filament, 603
Filament, left-handed, of *Salmonella typhimurium*; three-dimensional structure of the frozen–hydrated flagellar filament, 581
Filament, thin, in skeletal muscle, co-operative interactions between troponin–tropomyosin units extend the length, 885
Filaments, actin, myosin subfragment-1-decorated; bundling, 351
Finnegan, E. J. (see also Llewellyn, D. J.), 115
Finzel, B. C. (see also Poulos, T. L.), 687
Flagellar filament, complex, of *Rhizobium lupini*, three-dimensional structure and its relation to the structure of the plain filament, 603
Flagellar filament, frozen–hydrated, three-dimensional structure; the left-handed filament of *Salmonella typhimurium*, 581
Flagellar gene promoters, positively regulated, in *Caulobacter crescentus* with sequence homology to the *nif* gene promoters of *Klebsiella pneumoniae*, 939
Flensburg, J. & Calendar, R., Bacteriophage P4 DNA replication. Nucleotide sequence of the P4 replication gene and the *cis* replication region, 439
Folding of the pancreatic trypsin inhibitor, conformations of intermediates, 731
Foos, D. (see also Brady, G. W.), 185
Fourier transform, discrete, and least-squares fit of harmonic functions, 679
Frey, M. (see also Nivière, V.), 969
Frozen–hydrated flagellar filament, three-dimensional structure; the left-handed filament of *Salmonella typhimurium*, 581
Fujinaga, M. & James, M. N. G., Ret submaxillary gland serine protease, tonin. Structure solution and refinement at 1·8 Å resolution, 373
Fujinaga, M., Sielecki, A. R., Read, R. J., Ardelt, W., Laskowski, M., Jr & James, M. N. G., Crystal and molecular structures of the complex of α-chymotrypsin with its inhibitor turkey ovomucoid third domain at 1·8 Å resolution, 397

Galas, D. J. (see also Gamas, P.), 261
Gallagher, M. P. (see also Hiles, I. D.), 125
Gamas, P., Chandler, M. G., Prentki, P. & Galas, D. J., *Escherichia coli* integration host factor binds specifically to the ends of the insertion sequence IS*1* and its major insertion hot-spot in pBR322, 261
Garrett, R. A. (see also Leffers, H.), 43
Gayle, M. (see also Shinedling, S.), 471
Gene, alcohol dehydrogenase 1, from *Pisum sativum* (cv. "Greenfeast"), structure and expression, 115
Gene amplification mechanism for the hyperproduction of T4 bacteriophage gene *17* and *18* proteins, 769

Gene *CDC4*, yeast, structural comparison with a related pseudogene, 233.
Gene, flagellar, promoters, positively regulated, in *Caulobacter crescentus* with sequence homology to the *nif* gene promoters of *Klebsiella pneumoniae*, 939
Gene, lysis, of bacteriophage MS2 is activated by translation termination at the overlapping coat gene, 517
Gene, lysis, expression in bacteriophage MS2, determination of the regulating RNA secondary structure, 505
Gene, major coat protein, Pf1, in *Escherichia coli*, cloning and expression; membrane protein processing and virus assembly, 873
Gene, 7 S K RNA, human, structural and functional analysis, 31
Gene *17* and *18* proteins, T4, a gene amplification mechanism for hyperproduction, 769
Gene, surface antigen, of the malaria parasite *Plasmodium falciparum*; allelic dimorphism, 273
Gene, tRNA, lysine, from *Xenopus laevis*, structure and transcription termination, 835
Genes for cell envelope proteins subject to a common regulatory stimulus, use of transposon for detection, 289
Genes *ompF* and *ompC* that code for outer-membrane protein in *Escherichia coli*, and a novel *rpoA* mutation that interferes with the function of regulators OmpR and EnvZ, 847
Genes, structural, isolation for the Rieske Fe–S protein, cytochrome *b* and cytochrome c_1, all components of the ubiquinol : cytochrome c_2 oxidoreductase complex of *Rhodopseudomonas capsulata*, 1
Genes, tandemly repeated, and some extrachromosomal circular DNAs from *Drosophila* embryos are homologous, 447
Genes, variable region, novel, of the human immunoglobulin heavy chain, 761
Giegé, R. (see also Romby, P.), 193
Gill, S. S. (see also McPherson, A.), 755
Glutathione reductase, refined structure at 1·54 Å resolution, 701
Gold, L. (see also Shinedling, S.), 471
Goman, M. (see also Tanabe, K.), 273
Gotoh, Y. (see also Ohshima, Y.), 247
Gralla, J. D. (see also Borowiec, J. A.), 89
Gronenborn, A. M. (see also Shih, T. T.-b.), 453
Gutierrez, C., Barondess, J., Manoil, C. & Beckwith, J., The use of transposon Tn*phoA* to detect genes for cell envelope proteins subject to a common regulatory stimulus. Analysis of osmotically regulated genes in *Escherichia coli*, 289
Guyaux, M. (see also Murphy, N. B.), 855

Habash, J. (see also Yariv, J.), 759
Haemoglobins A and Cowtown (His HC3(146)$\beta \rightarrow$ Leu), influence of anions and protons on the Adair coefficients, 419
Halobacterial photophobic response, signal formation mediated by a fourth retinal protein (P_{480}), 333
Halophile, extreme, a sulphur-dependent extreme thermophile and a thermophilic methanogen, a comparative study of 23 S rRNAs: evolutionary relationships amongst archaebacteria, 43
Hatchikian, C. (see also Nivière, V.), 969
Heavy-atom large complexes, correlation between symmetry and their binding sites on proteins, 751
Heinrich, R. (see also Rapoport, T. A.), 621
Helliwell, J. R. (see also Yariv, J.), 759
Hepatitis B surface antigen, insertions; effect on assembly and secretion of 22-nm particles from mammalian cells, 343
Herpes simplex virus protein synthesis cascade is established by transcriptional and post-transcriptional controls, 819
Higgins, C. F. (see also Hiles, I. D.), 125
Hiles, I. D., Gallagher, M. P., Jamieson, D. J. & Higgins, C. F., Molecular characterization of the oligopeptide permease of *Salmonella typhimurium*, 125
Hirokawa, N. (see also Hisanaga, S.), 919
Hisanaga, S. & Hirokawa, N., Substructure of sea urchin egg cytoplasmic dynein, 919
Histidine proton resonances of carbonmonoxyhaemoglobins A and Cowtown in chloride-free buffer, 453
Histones, core, sequence-specific positioning on an 860 base-pair DNA; experiment and theory, 143
Hoess, R. (see also Wierzbicki, A.), 785
Holden, H. M., Meyer, T. E., Cusanovich, M. A., Daldal, F. & Rayment, I., Crystallization and preliminary analysis of crystals of cytochrome c_2 from *Rhodopseudomonas capsulata*, 229
Honjo, T. (see also Lee, K. H.), 761
Howard, A. J. (see also Poulos, T. L.), 687
Human complement C1 complex. Genesis of a model, 435
Human erythrocytes, preliminary X-ray data of NADH-cytochrome b_5 reductase, 749
Human immunoglobulin heavy chain, a novel family of variable region genes 761
Human 7 S K RNA gene, structural and functional analysis, 31
Human Y chromosome, structure of the major block of alphoid satellite DNA, 457
Huber, R., Schneider, M., Epp, O., Mayr, I., Messerschmidt, A., Pflugrath, J. & Kayser, H., Crystallization, crystal structure analysis and preliminary molecular model of the bilin binding protein from the insect *Pieris brassicae*, 423
Huber, R. (see also Ladenstein, R.), 751
Hulmes, D. J. S. (see also Mould, A. P.), 545
Hydrophobicity scales and computational techniques for detecting amphipathic structures in proteins, 659
Hydrophobicity scales, index, 682
Hyperproduction of T4 bacteriophage gene *17* and *18* proteins, gene amplification mechanism, 769

Ihler, G. M. (see also Roessner, C. A.), 963
Iismaa, T. P. & Wake, R. G., The normal replication terminus of the *Bacillus subtilis* chromosome, *terC*, is dispensable for vegetative growth and sporulation, 299
Ikawa, S. (see also Shishido, K.), 215
Immunoglobulin heavy chain, human, a novel family of variable region genes, 761
Insertion sequence IS*1*, *Escherichia coli* integration host factor binds specifically to the ends, 261
Integration host factor, *Escherichia coli*, binds specifically to the ends of the insertion sequence IS*1* and to its major insertion hot-spot in pBR322, 261
Intermediates in the folding of the pancreatic trypsin inhibitor; conformations, 731
Ionic strength, effect on superhelix conformation in solution, 185

James, M. N. G. (see also Fujinaga, M.), 373, 397
Jamieson, D. J. (see also Hiles, I. D.), 125
Jarvis, E. (see also Shinedling, S.), 471
Johnston, F., Ponnambalam, S. & Busby, S., Binding of *Escherichia coli* RNA polymerase to a promoter carrying mutations that stop transcription initiation, 745
Jurnak, F. (see also McPherson, A.), 755

Kalb (Gilboa), A. J. (see also Yariv, J.), 759
Karplus, M. (see also States, D. J.), 731
Karplus, P. A. & Schulz, G. E., Refined structure of glutathione reductase at 1·54 Å resolution, 701
Kayser, H. (see also Huber, R.), 423
Kellenberger, E. (see also Caldentey, J.), 637
Kendall, M. (see also Wierzbicki, A.), 785
Kinashi, T. (see also Lee, K. H.), 761
Kjems, J. (see also Leffers, H.), 43
Klebsiella pneumoniae nif gene promoters with sequence homology to positively regulated flagellar gene promoters in *Caulobacter crescentus*, 939
Kodaira, M. (see also Lee, K. H.), 761
Komiyama, N. (see also Shishido, K.), 215
Kruger, W. & Benecke, B.-J., Structural and functional analysis of a human 7 S K RNA gene, 31

L7/L12 ribosomal protein from *Escherichia coli*, structure of the C-terminal domain at 1·7 Å, 555
lac operator, second, specific destruction decreases repression of the *lac* operon in *Escherichia coli* fivefold, 949
lac p^s promoter, all three elements mediate its transcriptional response to DNA supercoiling, 89
lac wild-type and UV5 sites of *Escherichia coli*; topological unwinding of strong and weak promoters by RNA polymerase, 795
Lactose repressors, tight-binding, affinities for wild-type and pseudo-operators, 495

Ladenstein, R., Bacher, A. & Huber, R., Some observations of a correlation between the symmetry of large heavy-atom complexes and their binding sites on proteins, 751
LamB, sequence of amino acids responsible for spontaneous ejection of bacteriophage lambda DNA, 963
λ (see also Bacteriophage), 75, 963
Lambda site-specific recombination, and protein–protein interactions, 481
Lambert, N. (see also Delpeyroux, F.), 343
Landy, A. (see also Thompson, J. F.), 481
Larsen, N. (see also Leffers, H.), 43
Laskowski, M., Jr (see also Fujinaga, M.), 397
Lee, K. H., Matsuda, F., Kinashi, T., Kodaira, M. & Honjo, T., A novel family of variable region genes of the human immunoglobulin heavy chain, 761
Leffers, H., Kjems, J., Østergaard, L., Larsen, N. & Garrett, R. A., Evolutionary relationships amongst archaebacteria. A comparative study of 23 S ribosomal RNAs of a sulphur-dependent extreme thermophile, an extreme halophile and a thermophilic methanogen, 43
Leijonmarck, M. & Liljas, A., Structure of the C-terminal domain of the ribosomal protein L7/L12 from *Escherichia coli* at 1·7 Å, 555
Lens aldose reductase, crystallization and preliminary X-ray study, 945
Lepault, J. (see also Caldentey, J.), 637
Liao, S.-M. (see also Vershon, A. K.), 311, 323
Liljas, A. (see also Leijonmarck, M.), 555
Lim, A. (see also Delpeyroux, F.), 343
Lipscomb, J. D. (see also Ohlendorf, D. H.), 225
Llewellyn, D. J., Finnegan, E. J., Ellis, J. G., Dennis, E. S. & Peacock, W. J., Structure and expression of an alcohol dehydrogenase 1 gene from *Pisum sativum* (cv. "Greenfeast"), 115
Lohman, T. M. (see also Bujalowski, W.), 897
Lysine tRNA gene from *Xenopus laevis*, structure and transcription termination, 835
Lysis gene of bacteriophage MS2 is activated by translation termination at the overlapping coat gene, 517
Lysis gene expression in bacteriophage MS2, determination of the regulating RNA secondary structure, 505

McClure, W. R. (see also Vershon, A. K.), 311, 323
Mackay, M. (see also Tanabe, K.), 273
McKnight, S. L. (see also Weinheimer, S. P.), 819
Macnab, R. M. (see also Trachtenberg, S.), 603
McPherson, A., Jurnak, F., Singh, G. J. P. & Gill, S. S., Preliminary X-ray diffraction analysis of crystals of *Bacillus thuringiensis* toxin, a cell membrane disrupting protein, 755
Malaria parasite *Plasmodium falciparum*, allelic dimorphism in a surface antigen gene, 273
Malpièce, Y. (see also Delpeyroux, F.), 343
Manoil, C. (see also Gutierrez, C.), 289
Mammalian cells, effect on assembly and secretion of 22-nm particles; insertions in the hepatitis B surface antigen, 343
Margalit, H. (see also Cornette, J. L.), 659
Martin, K. J. & Schleif, R. F., Equilibrium DNA-binding of AraC protein. Compensation for displaced ions, 741
Marwan, W. & Oesterhelt, D., Signal formation in the halobacterial photophobic response mediated by a fourth retinal protein (P_{480}), 333
Matsuda, F. (see also Lee, K. H.), 761
Matsuyama, S. & Mizushima, S., Novel, *rpoA* mutation that interferes with the function of OmpR and EnvZ, positive regulators of the *ompF* and *ompC* genes that code for outer-membrane proteins in *Escherichia coli* K12, 847
Maurizot, J. C. (see also Blazy, B.), 175
Mayr, I. (see also Huber, R.), 423
Mazabraud, A., Scherly, D., Müller, F., Rungger, D. & Clarkson, S. G., Structure and transcription termination of a lysine tRNA gene from *Xenopus laevis*, 835
Membrane protein processing and virus assembly; cloning and expression of the filamentous bacteriophage Pf1 major coat protein gene in *Escherichia coli*, 873
Messerschmidt, A. (see also Huber, R.), 423
Methanogen, thermophilic, an extreme halophile and a sulphur-dependent extreme thermophile, a comparative study of 23 S rRNAs; evolutionary relationships amongst archaebacteria, 43
Methyl α-D-glucopyranoside complex with concanavalin A, properties of a new crystal form, 759
Meyer, T. E. (see also Holden, H. M.), 229
Miller, M., Wlodawer, A., Appella, E. & Sussman, J. L., Crystallization of a DNA duplex 15-mer containing unpaired bases: d(CGCGAAATTTACGCG), 967
Mini-F plasmid DNA replication. A quantitative model for control of plasmid mini-F replication in the bacterial cell division cycle, 99
Minnich, S. (see also Mullin, D.), 939
Mizushima, S. (see also Matsuyama, S.), 847
Mnt repressor, P22; DNA binding and effects on transcription *in vitro*, 311
Molecular characterization of the oligopeptide permease of *Salmonella typhimurium*, 125
Moras, D. (see also Romby, P.), 193
Moras, D. (see also Rondeau, J.-M.), 945
Mould, A. P. & Hulmes, D. J. S., Surface-induced aggregation of type I procollagen, 545
Mouse 28 S and yeast 26 S rRNA, ribosomal proteins EL11 from *Escherichia coli* and L15 from *Saccharomyces cerevisiae* bind to the same site, 909
MS2 (see also Bacteriophage), 505, 517
Müller, F. (see also Mazabraud, A.), 835
Müller-Hill, B. (see also Eismann, E.), 949
Mullin, D., Minnich, S., Chen, L.-S. & Newton, A., A set of positively regulated flagellar gene promoters in *Caulobacter crescentus* with sequence homology to the *nif* gene promoters of *Klebsiella pneumoniae*, 939
Murphy, N. B., Pays, A., Tebabi, P., Coquelet, H., Guyaux, M., Steinert, M. & Pays, E., *Trypanosoma brucei* repeated element with unusual structural and transcriptional properties, 855
Muscle, skeletal, co-operative interactions between troponin–tropomyosin units extended the length of the thin filament, 885
Mutants, T4 rII, sequences and studies, 471
Mutants, topoisomerase, DNA, *Escherichia coli*, increased production of a knotted form of plasmid pBR322 DNA, 215
Mutation, *rpoA*, that interferes with the function of OmpR and EnvZ, 847
Mutational analysis of the bacteriophage P1 recombinase Cre, 785
Mutations: binding of *Escherichia coli* RNA polymerase to a promoter carrying mutations that stop transcription termination, 745
Myosin heavy chain, electron microscopic visualization of the N terminus using a site-directed antibody, 953
Myosin subfragment-1-decorated actin filaments, bundling, 351

N terminus of the myosin heavy chain, electron microscopic visualization using a site-directed antibody, 953
NADH-cytochrome b_5 reductase from human erythrocytes, preliminary X-ray data, 749
Newton, A. (see also Mullin, D.), 939
nif gene promoters of *Klebsiella pneumoniae* with sequence homology to positively regulated flagellar gene promoters in *Caulobacter crescentus*, 939
Nivière, V., Hatchikian, C., Cambillau, C. & Frey, M., Crystallization, preliminary X-ray study and crystal activity of the hydrogenase from *Desulfovibrio gigas*, 969
Nuclease digestion patterns of chromatin interpretation, 169
Nucleic acid interactions with proteins, limited co-operativity; a thermodynamic model for interactions of *Escherichia coli* single strand binding protein with single-stranded nucleic acids in the "beaded", $(SSB)_{65}$ mode, 897
Nucleocapsids, Sindbis virus, organization as revealed by bifunctional cross-linking agents, 359
*nus*A protein of *Escherichia coli* is an efficient transcription termination factor for certain terminator sites, 809

Oesterhelt, D. (see also Marwan, W.), 333
Ogawa, K. (see also Takano, T.), 749
Ohlendorf, D. H., Weber, P. C. & Lipscomb, J. D., Determination of the quaternary structure of proto

catechuate 3,4-dioxygenase from *Pseudomonas aeruginosa*, 225
Ohshima, Y. & Gotoh, Y., Signals for the selection of a splice site in pre-mRNA. Computer analysis of splice junction sequences and like sequences, 247
Oligopeptide permease of *Salmonella typhimurium*, molecular characterization, 125
ompF and *ompC* genes that code for outer-membrane proteins in *Escherichia coli*, and a novel *rpoA* mutation that interferes with the function of regulators OmpR and EnvZ, 847
OmpR and EnvZ positive regulators, a novel *rpoA* mutation that interferes with their function, 847
Operator affinities of tight-binding *lac* repressors, 495
Operator DNA, interaction with bacteriophage P22 Arc repressor, 323
Organization of the Sindbis virus nucleocapsid as revealed by bifunctional cross-linking agents, 359
Østergaard, L. (see also Leffers, H.), 43
Overbeek, G. P. (see also Schmidt, B. F.), 505

P1 (see alsoBacteriophage), 785
P4 (see also Bacteriophage), 439
P22 (see also Bacteriophage), 311, 323
P_{480} mediates signal formation in the halobacterial photophobic response, 333
P^1,P^5-di(adenosine-5′-)pentaphosphate, structure of the complex with yeast adenylate kinase at 2·6 Å resolution, 649
Pancreatic trypsin inhibitor, conformations of intermediates in the folding, 731
Papiz, M. Z. (see also Yariv, J.), 759
Pays, A. (see also Murphy, N. B.), 855
Pays, E. (see also Murphy, N. B.), 855
pBR322, *Escherichia coli* integration host factor binds specifically to the ends of the insertion sequence IS*1* and to its major insertion hot-spot, 261
pBR322 plasmid DNA, increased production of a knotted form in *Escherichia coli* DNA topoisomerase mutants, 215
Peacock, W. J. (see also Llewellyn, D. J.), 115
Perham, R. N. (see also Rowitch, D. H.), 873
Perutz, M. F. (see also Shih, D. T.-b.), 419
Perutz, M. F. (see also Shih, D. T.-b.), 453
pet operon encoding the Rieske cytochrome *b*, and cytochrome c_1 apoproteins, nucleotide sequence; primary structure of the bc_1 complex of *Rhodopseudomonas capsulata*, 13
Pf1 (see also Bacteriophage), 873
Pflugrath, J. (see also Huber, R.), 423
Phillips, G. N., Jr, Cohen, C. & Stewart, M., A new crystal form of tropomyosin. Preliminary X-ray diffraction analysis, 219
Photophobic response, halobacterial, signal formation mediated by a fourth retinal protein (P_{480}), 333
Picard, G. (see also Pont, G.), 447
Pieris brassicase bilin binding protein, crystallization, crystal structure analysis and preliminary molecular model, 423
Pig lens aldose reductase, crystallization and preliminary X-ray study, 945
Pisum sativum (cv. "Greenfeast"), structure and expression of an alcohol dehydrogenase 1 gene, 115
Planta, R. J. (see also El-Baradi, T. T. A. L.), 909
Plasmid mini-F replication, a quantitative model for control, in the bacterial cell division cycle, 99
Plasmid pBR322 DNA, increased production of a knotted form in *Escherichia coli* DNA topoisomerase mutants, 215
Plasmodium falciparum, allelic dimorphism in a surface antigen gene, 273
Ponnambalan, S. (see also Johnston, F.), 745
Pont, G., Degroote, F. & Picard, G., Some extrachromosomal circular DNAs from *Drosophila* embryos are homologous to tandemly repeated genes, 447
Poulos, T. L., Finzel, B. C. & Howard, A. J., High-resolution crystal structure of cytochrome P450cam, 687
Pre-mRNA, signals for the selection of a splice site; computer analysis of splice junction sequences and like sequences, 247
Prentki, P. (see also Gamas, P.), 261
Pribnow, D. (see also Shinedling, S.), 471
Procollagen, type I, surface-induced aggregation, 543
Promoter carrying mutations that stop transcription termination, binding to *Escherichia coli* RNA polymerase, 745
Promoters and spacers, evolutionary divergence in the rDNA family of four *Drosophila* species; implications for molecular coevolution in multigene families, 525
Promoters, strong and weak, topological unwinding by RNA polymerase. Comparison between the *lac* wild-type and UV5 sites of *Escherichia coli*, 795
Protein secondary structure and active sites, prediction using the alignment of homologous sequences, 957
Protein–nucleic acid interactions, limited co-operativity; thermodynamic model for the interactions of *Escherichia coli* single strand binding protein with single-stranded nucleic acids in the "beaded", $(SSB)_{65}$ mode, 897
Protein–protein interactions in a higher-order structure direct lambda site-specific recombination, 481
Proteins, core, T4, isolation and reassembly, 637
Proteins, hydrophobicity scales and computational techniques for detecting amphipathic structures, 659
Proteins, mathematical modeling of the effects of the signal recognition particle on translation and translocation across the endoplasmic reticulum, 621
Proteins, outer-membrane, in *Escherichia coli* K12, novel *rpoA* mutation that interferes with the function of OmpR and EnvZ, positive regulators of the *ompF* and *ompC* coding genes, 847
Protocatechuate 3,4-dioxygenase from *Pseudomonas aeruginosa*, determination of quaternary structure, 225
Proton resonances, histidine, of carbonmonoxyhaemoglobins A and Cowtown in chloride-free buffer, 453
Protons and anions, influence on the Adair coefficients of haemoglobins A and Cowtown (His HC3(146)$\beta \rightarrow$ Leu), 419
Pseudogene, structural comparison with the yeast cell division cycle gene *CDC4*, 233
Pseudomonas aeruginosa, determination of quaternary structure of photocatechuate 3,4-dioxygenase, 225

rII mutants, T4, sequences and studies, 471
Rapoport, T. A., Heinrich, R., Walter, P. & Schulmeister, T., Mathematical modeling of the effects of the signal recognition particle on translation and translocation of proteins across the endoplasmic reticulum membrane, 621
Rat submaxillary gland serine protease; structure solution and refinement at 1·8 Å resolution, 373
Raué, H. (see also El-Baradi, T. T. A. L.), 909
Rayment, I. (see also Holden, H. M.), 229
Read, R. J. (see also Fujinaga, M.), 397
Reassembly of bacteriophage T4 core proteins, 637
Recombinase Cre, P1, a mutational analysis, 785
Recombination hotspots in the Red pathway of phage λ; double-chain-cut sites, 75
Recombination, site-specific, lambda, and protein–protein interactions, 481
Red pathway of phage λ, double-chain-cut sites are recombination hotspots, 75
Regulation of lysis gene expression in bacteriophage MS2, determination of RNA secondary structure, 505
Regulation of mini-F plasmid DNA replication. A quantitative model for control of plasmid mini-F replication in the bacterial cell division cycle, 99
Regulation: the use of transposon Tn*phoA* to detect genes for cell envelope proteins subject to a common regulatory stimulus, 289
Regulators OmpR and EnvZ, a novel *rpoA* mutation that interferes with their function, 847
Repeated element, *Trypanosoma brucei*, with unusual structural and transcriptional properties, 855
Replication, DNA, P4; nucleotide sequence of the P4 replication gene and the *cis* replication region, 439
Replication terminus of the *Bacillus subtilis* chromosome, *terC*, is dispensable for vegetative growth and sporulation, 299
Repressors, lactose, tight-binding, affinities for wild-type and pseudo-operators, 495
Retinal protein (P_{480}) mediates signal formation in the halobacterial photophobic response, 333
Rhizobium lupini, three-dimensional structure of the complex

flagellar filament and its relation to the structure of the plain filament, 603
Rhodopseudomonas capsulata, crystallization and preliminary analysis of crystals of cytochrome c_2, 229
Rhodopseudomonas capsulata, the *fbc* operon was previously described as being from *Rhodopseudomonas sphaeroides*, 25
Rhodopseudomonas capsulata, isolation of the structural genes for the Rieske Fe–S protein, cytochrome *b* and cytochrome c_1 of the ubiquinol : cytochrome c_2 oxidoreductase complex, 1
Rhodopseudomonas capsulata, primary structure of the bc_1 complex; nucleotide sequence of the *pet* operon encoding the Rieske cytochrome *b*, and cytochrome c_1 apoproteins, 13
Rhodopseudomonas sphaeroides, the previously described *fbc* operon is from *Rhodopseudomonas capsulata*, 25
RNA gene, 7 S K, human structural and functional analysis, 31
RNA polymerase, *Escherichia coli*, binding to a promoter carrying mutations that stop transcription termination, 745
RNA polymerase topological unwinding of strong and weak promoters. Comparison between *lac* wild-type and UV5 sites of *Escherichia coli*, 795
RNA polymerase II of *Drosophila*. Relation of its 140,000 M_r subunit to the β subunit of *Escherichia coli* RNA polymerase, 929
RNA secondary structure that regulates lysis gene expression in bacteriophage MS2, 505
rDNA family of four *Drosophila* species, evolutionary divergence of promoters and spaces; implications for molecular coevolution in mutigene families, 525
rDNA promoter variation in tsetse species, 63
Ribosomal protein L7/L12 from *Escherichia coli*, structure of the C-terminal domain at 1·7 Å, 555
Ribosomal proteins EL11 from *Escherichia coli* and L15 from *Saccharomyces cerevisiae* bind to the same site in both yeast 26 S and mouse 28 S rRNA, 909
Ribosomal RNA, yeast 26 S and mouse 28 S, ribosomal proteins EL11 from *Escherichia coli* and L15 from *Saccharomyces cerevisiae* bind to the same site, 909
Ribosomal 23 S RNAs of a sulphur-dependent extreme thermophile, an extreme halophile and a thermophilic methanogen; evolutionary relationships amongst archaebacteria, 43
Rieske Fe–S protein cytochrome *b*, and cytochrome c_1 apoproteins, the encoding *fbc* operon previously described from *Rhodopseudomonas sphaeroides*, is from *Rhodopseudomonas capsulata*, 25
Rieske Fe–S protein of the ubiquinol : cytochrome c_2 oxidoreductase complex of *Rhodopseudomonas capsulata*, isolation of the structural genes, 1
Rieske cytochrome *b*, and cytochrome c_1 apoproteins, nucleotide sequence of the encoding *pet* operon; primary structure of the bc_1 complex of *Rhodopseudomonas capsulata*, 13
Roessner, C. A. & Ihler, G. M., Sequence of amino acids in LamB responsible for spontaneous ejection of bacteriophage lambda DNA, 963
Romby, P., Moras, D., Dumas, P., Ebel, J. P. & Giegé, R., Comparison of the tertiary structure of yeast $tRNA^{Asp}$ and $tRNA^{Phe}$ in solution. Chemical modification study of the bases, 193
Rondeau, J.-M., Samama, J.-P., Samama, B., Barth, P., Moras, D. & Biellmann, J.-F., Crystallization and preliminary X-ray study of pig lens aldose reductase, 945
Rowitch, D. H. & Perham, R. N., Cloning and expression of the filamentous bacteriophage Pf1 major coat protein gene in *Escherichia coli*. Membrane protein processing and virus assembly, 873
Rownd, R. H. (see also Womble, D. D.), 99
rpoA mutation that interferes with function of OmpR and EnvZ, 847
Rungger, D. (see also Mazabraud, A.), 835
Rutchik, J. S. (see also Brandt, P. W.), 885

Saccharomyces cerevisiae ribosomal proteins L15, and proteins EL11 from *Escherichia coli*, bind to the same site in both yeast 26 S and mouse 28 S rRNA, 909
Salmonella typhimurium left-handed filament; three-dimensional structure of the frozen–hydrated flagellar filament, 581
Salmonella typhimurium, molecular characterization of the oligopeptide permease, 125
Samama, B. (see also Rondeau, J.-M.), 945
Samama, J.-P. (see also Rondeau, J.-M.), 945
Satkowski, M. (see also Brady, G. W.), 185
Sato, M. (see also Takano, T.), 749
Sauer, R. T. (see also Vershon, A. K.), 311, 323
Scaife, J. G (see also Tanabe, K.), 273
Schachat, F. H. (see also Brandt, P. W.), 885
Scherly, D. (see also Mazabraud, A.), 835
Schleif, R. F. (see also Martin, K. J.), 741
Schmidt, B. F., Berkhout, B., Overbeek, G. P., van Strien, A. & van Duin, J., Determination of the RNA secondary structure that regulates lysis gene expression in bacteriophage MS2, 505
Schmidt, B. F. (see also Berkhout, B.), 517
Schmidt, M. C. & Chamberlin, M. J., *nusA* protein of *Escherichia coli* is an efficient transcription termination factor for certain terminator sites, 809
Schneider, M. (see also Huber, R.), 423
Schulmeister, T. (see also Rapoport, T. A.), 621
Schulz, G. E. (see also Egner, U.), 649
Schulz, G. E. (see also Karplus, P. A.), 701
Sea urchin egg cytoplasmic dynein, substructure, 919
Sequence alignment, use in prediction of protein secondary structure and active sites, 957
Sequence of amino acids in LamB responsible for spontaneous ejection of bacteriophage lambda DNA, 963
Sequence elements surrounding the rDNA promoter and its spacer duplications in tsetse species, a novel arrangement, 63
Sequence homology of a set of positively regulated flagellar gene promoters in *Caulobacter crescentus* and the *nif* gene promoters of *Klebsiella pneumoniae*, 939
Sequence, nucleotide, of the P4 replication gene and the *cis* replication region, 439
Sequence, nucleotide, of the *pet* operon encoding the Rieske cytochrome *b*, and cytochrome c_1 apoproteins; primary structure of the bc_1 complex of *Rhodopseudomonas capsulata*, 13
Sequences, splice junction, computer analysis; signals for the selection of a splice site in pre-mRNA, 247
Sequences and studies of bacteriophage T4 rII mutants, 471
Sequence-specific positioning of core histones on an 860 base-pair DNA; experiment and theory, 143
Serine protease, tonin, rat submaxillary gland; structure solution and refinement at 1·8 Å resolution, 373
Shih, D. T.-b. & Perutz, M. F., Influence of anions and protons on the Adair coefficients of haemoglobins A and Cowtown (His HC3(146)$\beta \rightarrow$ Leu), 419
Shih, D. T.-b., Perutz, M. F., Gronenborn, A. M. & Clore, G. M., Histidine proton resonances of carbonmonoxyhaemoglobins A and Cowtown in chloride-free buffer, 453
Shinedling, S., Singer, B. S., Gayle, M., Pribnow, D., Jarvis, E., Edgar, B. & Gold, L., Sequences and studies of bacteriophage T4 rII mutants, 471
Shishido, K., Komiyama, N. & Ikawa, S., Increased production of a knotted form of plasmid pBR322 DNA in *Escherichia coli* DNA topoisomerase mutants, 215
Sielecki, A. R. (see also Fujinaga, M.), 397
Signal recognition particle, mathematical modeling of the effects on translation and translocation of proteins across the endoplasmic reticulum membrane, 621
Singer, B. S. (see also Shinedling, S.), 471
Singh, G. J. P. (see also McPherson, A.), 755
Single strand binding protein, *Escherichia coli*, a thermodynamic model for interactions with single-stranded nucleic acids in the "beaded", $(SSB)_{65}$ mode, 897
Signal formation in the halobacterial photophobic response mediated by a fourth retinal protein (P_{480}), 333
Sindbis virus nucleocapsid, organization as revealed by bifunctional cross-linking agents, 359
Skinner, S. E. (see also Thompson, J. F.), 481
Spacers and promoters, evolutionary divergence in the rDNA family of four *Drosophila* species; implications for molecular coevolution in multigene families, 525
Splice site signals in pre-mRNA. Computer analysis of splice junction sequences and like sequences, 247

Sporulation, the normal replication terminus of the *Bacillus subtilis* chromosome, *terC*, is dispensable 299
Spouge, J. L. (see also Cornette, J. L.), 659
Stahl, F. W. (see also Thaler, D. S.), 75
Stahl, M. M. (see also Thaler, D. S.), 75
States, D. J., Creighton, T. E., Dobson, C. M & Karplus, M., Conformations of intermediates in the folding of the pancreatic trypsin inhibitor, 731
Steinert, M. (see also Murphy, N. B.), 855
Sternberg, M. J. E. (see also Zvelebil, M. J.), 957
Stewart, M. (see also Phillips, G. N., Jr), 219
Streeck, R. E. (see also Delpeyroux, F.), 343
Structural comparison of the yeast cell division cycle gene *CDC4* and a related pseudogene, 233
Structural and functional analysis of a human 7 S K RNA gene, 31
Structural genes, isolation for the Rieske Fe–S protein, cytochrome *b* and cytochrome c_1, all components of the ubiquinol : cytochrome c_2 oxidoreductase complex of *Rhodopseudomonas capsulata*, 1
Structural and transcriptional properties, unusual, of *Trypanosoma brucei* repeated element, 855
Structure of the complex of yeast adenylate kinase with the inhibitor P^1,P^5-di(adenosine-5′-)pentaphosphate at 2·6 Å resolution, 649
Structure, crystal, high-resolution, of cytochrome P450cam, 687
Structures, crystal and molecular, of the complex of α-chymotrypsin with its inhibitor turkey ovomucoid third domain at 1·8 Å resolution, 397
Structure of the C-terminal domain of the ribosomal protein L7/L12 from *Escherichia coli* at 1·7 Å, 555
Structure and expression of an alcohol dehydrogenase 1 gene from *Pisum sativum* (cv. "Greenfeast"), 115
Structure of the major block of alphoid satellite DNA on the human Y chromosome, 457
Structure and preliminary molecular model of the bilin binding protein from the insect *Pieris brassicae*, 423
Structure, primary, of the bc_1 complex of *Rhodopseudomonas capsulata*. Nucleotide sequence of the *pet* operon encoding the Rieske cytochrome *b*, and cytochrome c_1 apoproteins, 13
Structure, quaternary, of protocatechuate 3,4-dioxygenase from *Pseudomonas aeruginosa*, 225
Structure, refined, of glutathione reductase at 1·54 Å resolution, 701
Structure, secondary, protein, and active sites, prediction using the alignment of homologous sequences, 957
Structure, secondary, RNA, that regulates lysis gene expression in bacteriophage MS2, 505
Structure solution and refinement at 1·8 Å resolution of rat submaxillary gland serine protease, 373
Structure, tertiary, of yeast $tRNA^{Asp}$ and $tRNA^{Phe}$ in solution, a comparison; chemical modification study of the bases, 193
Structure, three-dimensional, of the complex flagellar filament of *Rhizobium lupini* and its relation to the structure of the plain filament, 603
Structure, three-dimensional, of the frozen–hydrated flagellar filament. The left-handed filament of *Salmonella typhimurium*, 581
Structure and transcription termination of a lysine tRNA gene from *Xenopus laevis*, 835
Submaxillary gland serine protease, tonin, rat; structure solution and refinement at 1·8 Å resolution, 373
Substructure of sea urchin egg cytoplasmic dynein, 919
Sulphur-dependent extreme thermophile, an extreme halophile and a thermophilic methanogen, a comparative study of 23 S rRNAs; evolutionary relationships amongst archaebacteria, 43
Supercoiling, DNA, all three elements of the *lac* p^s promoter mediate its transcriptional response, 89
Superhelical DNA with local substructures. Generalization of the topological constraint in terms of the intersection number and the ladder-like correspondence surface, 205
Superhelicity, DNA, effect of ionic strength on superhelix conformation in solution, 185
Surface antigen gene of the malaria parasite *Plasmodium falciparum*, allelic dimorphism, 273
Surface antigen, hepatitis B, insertions; effect on assembly and secretion of 22-nm particles from mammalian cells, 343
Surface-induced aggregation of type I procollagen, 543
Sussman, J. L. (see also Miller, M.), 967
Sutoh, K., Tokunaga, M. & Wakabayashi, T., Electron microscopic visualization of the N terminus of the myosin heavy chain using a site-directed antibody, 953
Symmetry of large heavy-atom complexes, correlation with their binding sites on proteins, 751

T4 (see also Bacteriophage), 471, 637, 769
Takano, T., Ogawa, K., Sato, M., Bando, S. & Yubisui, T., Preliminary X-ray data of NADH-cytochrome b_5 reductase from human erythrocytes, 749
Tanabe, K., Mackay, M., Goman, M. & Scaife, J. G., Allelic dimorphism in a surface antigen gene of the maleria parasite *Plasmodium falciparum*, 273
Tautz, C. (see also Tautz, D.), 525
Tautz, D., Tautz, C., Webb, D. & Dover, G. A., Evolutionary divergence of promoters and spacers in the rDNA family of four *Drosophila* species. Implications for molecular coevolution in multigene families, 525
Taylor, W. R. (see also Zvelebil, M. J.), 957
Tebabi, P. (see also Murphy, N. B.), 855
Teixido, J. (see also El-Baradi, T. T. A. L.), 909
terC, the normal replication terminus of the *Bacillus subtilis* chromosome, is dispensable for vegetative growth and sporulation, 299
Thaler, D. S., Stahl, M. M. & Stahl, F. W., Double-chain-cut sites are recombination hotspots in the Red pathway of phage λ, 75
Thermodynamic model for interactions of *Escherichia coli* single strand binding protein with single-stranded nucleic acids in the "beaded", $(SSB)_{65}$ mode, 897
Thermophile, extreme, sulphur-dependent, an extreme halophile and a thermophilic methanogen, a comparative study of 23 S rRNAs; evolutionary relationships amongst archaebacteria, 43
Thompson, J. F., de Vargas, L. M., Skinner, S. E. & Landy, A., Protein–protein interactions in a higher-order structure direct lambda site-specific recombination, 481
Tn*phoA*, use to detect genes for cell envelope proteins subject to a common regulatory stimulus, 289
Tokunaga, M. (see also Sutoh, K.), 953
Tomasselli, A. G. (see also Egner, U.), 649
Tonin, rat submaxillary gland; structure solution and refinement at 1·8 Å resolution, 373
Topoisomerase mutants, DNA, *Escherichia coli*, increased production of a knotted form of plasmid pBR322 DNA, 215
Topological unwinding of strong and weak promoters by RNA polymerase. Comparison between the *lac* wild-type and UV5 sites of *Escherichia coli*, 795
Trachtenberg, & Derosier, D. J., Three-dimensional structure of the frozen–hydrated flagellar filament. The left-handed filament of *Salmonella typhimurium*, 581
Trachtenberg, S., Derosier, D. J. & Macnab, R. M., Three-dimensional structure of the complex flagellar filament of *Rhizobium lupini* and its relation to the structure of the plain filament, 603
Transcription: binding of *Escherichia coli* RNA polymerase to a promoter carrying mutations that stop transcription termination, 745
Transcription *in vitro*, DNA binding and effects; bacteriophage P22 Mnt repressor, 311
Transcription: *nus*A protein of *Escherichia coli* is an efficient transcription termination factor for certain terminator sites, 809
Transcription termination of a lysine tRNA gene from *Xenopus laevis*, 835
Transcriptional and post-transcriptional controls establish the cascade of herpes simplex virus protein synthesis, 819
Transcriptional properties, unusual, of *Trypanosoma brucei* repeated element, 855
Transcriptional response to DNA supercoiling, and *lac* p^s promoter elements, 89
tRNA gene, lysine, from *Xenopus laevis*, structure and transcription termination, 835

tRNA^{Asp} and tRNA^{Phe}, yeast, comparison of the tertiary structure: chemical modification study of the bases, 193
Translation termination at the overlapping coat gene activates the lysis gene of bacteriophage MS2, 517
Translation and translocation of proteins across the endoplasmic reticulum membrane, mathematical modeling of the effects of the signal recognition particle, 621
Transposon Tn*phoA*, use to detect genes for cell envelope proteins subject to a common regulatory stimulus, 289
Tropomyosin, a new crystal form; preliminary X-ray diffraction analysis, 219
Troponin–tropomyosin units, co-operative interactions extend the length of the thin filament in skeletal muscle, 885
Trypanosoma brucei repeated element with unusual structural and transcriptional properties, 855
Tsetse species, a novel arrangement of sequence elements surrounding the rDNA promoter and its spacer duplications, 63
Turkey ovomucoid third domain complex with α-chymotrypsin, crystal and molecular structures at 1·8 Å resolution, 397
Tyler-Smith, C. & Brown, W. R. A., Structure of the major block of alphoid satellite DNA on the human Y chromosome, 457

Ubiquinol : cytochrome c_2 oxidoreductase complex of *Rhodopseudomonas capsulata*, isolation of the structural genes for the Rieske Fe–S protein, cytochrome *b* and cytochrome c_1, 1
Unwinding, topological, of strong and weak promoters by RNA polymerase. Comparison between the *lac* wild-type and UV5 sites of *Escherichia coli*, 795
UV5 and *lac* wild-type sites of *Escherichia coli*, a comparison; topological unwinding of strong and weak promoters by RNA polymerase, 795

van Boom, J. (see also Berkhout, B.), 517
van Duin, J. (see also Berkhout, B.), 517
van Duin, J. (see also Schmidt, B. F.), 505
van Strien, A. (see also Berkhout, B.), 517
van Strien, A. (see also Schmidt, B. F.), 505
van Westrenen, J. (see also Berkhout, B.), 517
Variable region genes of the human immunoglobulin heavy chain, a novel family, 761
Vegetative growth and sporulation, the normal replication terminus of the *bacillus subtilis* chromosome, *terC*, is dispensable, 299
Vershon, A. K., Liao, S.-M., McClure, W. R. & Sauer, R. T., Bacteriophage P22 Mnt repressor. DNA binding and effects on transcription *in vitro*, 311
Vershon, A. K., Liao, S.-M., McClure, W. R. & Sauer, R. T., Interaction of the bacteriophage P22 Arc repressor with operator DNA, 323
Virus assembly and membrane protein processing; cloning and expression of the filamentous bacteriophage Pf1 major coat protein gene in *Escherichia coli*, 873
Virus (see also Sindbis), 359
v.Wilcken-Bergmann, B. (see also Eismann, E.), 949

Wakabayashi, T. (see also Sutoh, K.), 953
Wake, R. G. (see also Iismaa, T. P.), 299
Walter, P. (see also Rapaport, T. A.), 621
Webb, D. (see also Tautz, D.), 525
Weber, P. C. (see also Ohlendorf, D. H.), 225
Weinheimer, S. P. & McKnight, S. L., Transcriptional and post-transcriptional controls establish the cascade of herpes simplex virus protein synthesis, 819
Weiss, V. & Engel, J., Functional models of the C1 complex. Consensus and disagreement, 437
White, J. H. & Bauer, W. R., Superhelical DNA with local substructures. A generalization of the topological constraint in terms of the intersection number and the ladder-like correspondence surface, 205
Wierzbicki, A., Kendall, M., Abremski, K. & Hoess, R., A mutational analysis of the bacteriophage P1 recombinase Cre, 785
Wlodawer, A. (see also Miller, M.), 967
Womble, D. D. & Rownd, R. H., Regulation of mini-F plasmid DNA replication. A quantitative model for control of plasmid mini-F replication in the bacterial cell division cycle, 99
Wu, D. G. & Black, L. W., Gene amplification mechanism for the hyperproduction of T4 bacteriophage gene *17* and *18* proteins, 769

Xenopus laevis, structure and transcription termination of a lysine tRNA gene, 835
X-ray data, preliminary, of NADH–cytochrome b_5 reductase from human erythrocytes, 749
X-ray diffraction analysis, preliminary, of crystals of *Bacillus thuringiensis* toxin, a cell membrane disrupting protein, 755
X-ray diffraction analysis, preliminary, of a new crystal form of tropomyosin, 219
X-ray study, preliminary, and crystal activity of the dehydrogenase from *Desulfovibrio gigas*, 969
X-ray study, preliminary, of pig lens aldose reductase, 945

Y chromosome, human, structure of the major block of alphoid satellite DNA, 457
Yariv, J., Kalb, (Gilboa), A. J., Papiz, M. Z., Helliwell, J. R., Andrews, S. J. & Habash, J., Properties of a new crystal form of the complex of concanavalin A with methyl α-D-glucopyranoside, 759
Yeast adenylate kinase complex with the inhibitor P^1,P^5-di(adenosine-5′-)pentaphosphate, structure at 2·6 Å resolution, 649
Yeast cell division cycle gene *CDC4*, structural comparison with a related pseudogene, 233
Yeast 26 S and mouse 28 S rRNA, ribosomal proteins EL11 from *Escherichia coli* and L15 from *Saccharomyces cerevisiae* bind to the same site, 909
Yeast tRNA^{Asp} and tRNA^{Phe} in solution, comparison of the tertiary structure; chemical modification study of the bases, 193
Yochem, J. & Byers, B., Structural comparison of the yeast cell division cycle gene *CDC4* and a related pseudogene, 233
Yubisui, T. (see also Takano, T.), 749

Zvelebil, M. J., Barton, G. J., Taylor, W. R., & Sternberg, M. J. E., Prediction of protein secondary structure and active sites using the alignment of homologous sequences, 957